

Glover Select Board  
6 June 2007

Called to Order at 6:40pm

Board Members Attending: Nick Ecker-Racz, Nash Basom, Keone Maher  
Also Attending: Andy Brosseau, Harvey Dunbar, Juanita Snider

Minutes of 16 May 2007

Approved without changes.

### Sewer Project

Gary Leach of Leach Engineering reports that we still need more participants in the survey. Tom Clark will do a door-to-door canvassing of those who have not yet completed the survey. Select Board members sign the agreement for funding from the USDA as drafted by Gary. Estimated total cost for the project is \$1,243,000. The amount to be paid by the town will depend on the income survey. This will be brought to the town voters for a bond vote. The board and the road crew looked at and discussed various possibilities for routing the new sewer line, using aerial photos showing the general route along the Bean Hill Road. Gary will have a composite aerial photo printed to show the entire route on one print.

### Roads

Andy presents two driveway permit applications from Nicholas Roussel and Mary Ann Fletcher. Andy will communicate with each party that they need to discuss their project with him to secure his approval before proceeding.

The town will pay for a two-inch sewer manhole riser for the manhole on the McKay property at the intersection of Talbot Lane and Rte 16. The Select Board will develop a policy concerning this type of situation at a later date.

Greensboro is interested in the cooperative buying of road crew supplies. We will be saving quite a bit of money with this agreement.

The ditching is going well. The equipment is costing less than we expected, so far.

It is suggested that we have a future discussion re a policy relating to town equipment damaged by employees in the course of their duties. We agree that we should do some

research to determine what other towns have on the books and/or what the VLCT suggests.

We will continue to explore the possibility of installing a 3,000 gallon tank at the town garage. This would produce considerable savings when buying fuel in bulk.

The board agrees to reimburse any town employee, up to the full annual amount of their share of their health insurance premiums, for any preventive health measures they choose to pay for, including but not limited to health club membership or participation, massage, counseling, physical training, etc.

The board regretfully agrees that it will not pay the bill from Merle Young, Jr., for work done for Merle on the fourth class Young Road. There appears to have been a misunderstanding as to whose responsibility the work is. Town road policy is clear.

Permit Application for Replacing a Retaining Wall with Boulders at the Bjerke Property on Daniels Pond. The board agrees to approve this permit.

#### The Sidewalk Project

Keone met with Curtis Johnson. Best scenario, we could be done by fall of '08. Worst, by fall of '09. Much work to do and many problems along the way. The board agrees to withdraw or grant application.

The board accepts the bid for this work from RC Contractors for the first 270 feet of sidewalk, at a cost of \$10,400.

#### Scrap Metal Day

The date is set for June 16. The town road crew will do the trucking.

#### Bridge to Big Thunder Farm

This is the only town bridge without a concrete surface. We have a bid to paint the girders. Not accepted.

#### Harvey Dunbar Insurance Buyout Agreement

The board agrees to pay Harvey 25% of the municipal premium cost per town personnel policy.

### Town Green Road

The board agrees to discuss with the fire department the possibility of converting to grass the portion of this road in front of the fire department's building. This would increase the size of the town green.

### Park and Ride

The board agrees to submit a grant application to build a small park and ride area in Glover Village.

### Sewer Usage

The board agrees that the Busy Bee should be billed for a second unit due to increased capacity at their restaurant.

### Shadow Lake Dam Maintenance

We need to cut the vegetation around the spillway and budget next year for restoration of the water control device.

Adjourned at 10:05pm